

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))and (error near5 (messag\$3 or notif\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 22:53
L2	3251	(multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 22:54
L3	32	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:49
L4	2	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) same (classif\$ or priori\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:51
L7	19	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:52
L8	4	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and priori\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:52

## EAST Search History

L9	0	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and (priori\$ with assign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:52
L10	18	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and (assign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:52
L11	17	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and (assign\$3 with address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:53
L12	16	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and (assign\$3 with (address\$3 with queue or list or pool))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:54
L13	13	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and (assign\$3 with (address\$3 with (queue or list or pool or group or set)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 23:54
L14	0	((multiple or two or many or several)near5 (address adj3 (group or set or pool or queue))) with ((releas\$3 or unu\$3 or available) adj3 address) ) and @pd<="20031216" and ((assign\$3 with (address\$3 with (queue or list or pool or group or set))) same priori)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:17

## EAST Search History

L15	1	(HIPPELAINEN and LASSI).inv. and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:18
L16	2	(NOKIA).asn. and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:20
L17	2	"20010005858"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:24
L18	0	"20010005858" and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:24
L19	0	"20010005858" and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:24
L20	0	"20030225892" and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:24
L21	2	"20030225892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:26

## EAST Search History

L22	25373	((709/245) or (709/200) or (709/229) or (709/227) or (709/223) or (709/220) or (370/469) or (370/401)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:28
L23	6	I22 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 00:28
S1	2	"6321267".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:23
S2	1	S1 and (error near5 (messag\$3 or notif\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:25
S3	0	S1 and (error near5 (messag\$3 or notif\$5) with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:24
S4	0	S1 and (error near5 (messag\$3 or notif\$5) same packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:24
S5	1	S1 and (error near5 (messag\$3 or notif\$5)same source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:26

## EAST Search History

S6	0	S1 and (error near5 (messag\$3 or notif\$5)with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:25
S7	1	S1 and (error with (messag\$3 or notif\$5)same source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:26
S8	1	S1 and (error with (messag\$3 or notif\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 15:41
S9	2	"20040071164"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:16
S10	16321	((manag\$5 or assign\$5) near5 ("IP" or (internet adj3 protocol)) near5 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:19
S11	11048	((manag\$5 or assign\$5) near5 ("IP" or (internet adj3 protocol)) near5 address\$3)) and ((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:20
S12	295	((manag\$5 or assign\$5) near5 ("IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:37

## EAST Search History

S13	0	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3)) same (append\$3 near5 address43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:37
S14	0	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))and (append\$3 near5 address43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:37
S15	0	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))and ((add\$3 or return\$3) near5 address43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:37
S16	0	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))and ((add\$3 or return\$3) near5 address43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 16:38
S17	61	((manag\$5 or assign\$5) near5 ( "IP" or (internet adj3 protocol)) near5 address\$3)) and (((detect\$3 or determin\$3 or find\$3 or discover\$4) near5 (packet or messag\$3 or notif\$6 or data or information or content) ) same ((releas\$3 or unus\$3 or available) near5 address\$3))and (error near5 (messag\$3 or notif\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 22:51